

Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

CLEANZAR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Plant protection product

Disinfectant

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Certis Belchim B.V. (EU)

Stadsplateau 16

3521 AZ Utrecht - Nederland

Telephone no. 0031 (0)30 200 1200 Fax no. 0031 (0)30 310 0241 e-mail info@certisbelchim.com

Advice on Safety Data Sheet

www.certisbelchim.com

Identification of the supplier

Address

Certis Belchim B.V. - United Kingdom

Suite 5, 3 Riverside, Granta Park - Great Abington

Cambridgeshire CB21 6AD

United Kingdom

Telephone no. 0044 (0) 1223 652500 Fax no. 0044 (0)1223 891210

e-mail info.uk@certisbelchim.com - www.certisbelchim.co.uk

1.4 Emergency telephone number

Carechem 24 GB: +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302 Acute Tox. 4; H312

Acute Tox. 4; H332

Aquatic Chronic 1; H410

Eye Dam. 1; H318 Met. Corr. 1; H290

Ox. Liq. 2; H272 Skin Corr. 1B; H314 STOT SE 3; H335

Classification information

Classification and labelling are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Reglaced version: 2.0.0, issued: 20.10.2022 Region: GB

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms









Signal word

Danger

Hazardous component(s) to be indicated on label:

peracetic acid . . . %

Hazard statement(s)
H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P220 Keep away from clothing and other combustible materials.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor. P370+P378 In case of fire: Use water spray to extinguish.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P391 Collect spillage.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Hydrogen peroxide + peracetic acid 210 + 55 g/l (SL)

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1	hydrogen peroxide	solution		



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

	7722-84-1 231-765-0 008-003-00-9 01-2119485845-22	Acute Tox. 4; H302 Acute Tox. 4; H332 Ox. Liq. 1; H271 Skin Corr. 1A; H314 Aquatic Chronic 3; H412 Eye Dam. 1; H318	>=	20.00	- <	25.00	wt%
2	Acetic acid	STOT SE 3; H335					
	64-19-7 200-580-7 607-002-00-6	Flam. Liq. 3; H226 Skin Corr. 1A; H314 Eye Dam. 1; H318	>=	5.00	- <	10.00	wt%
3	peracetic acid 9	6	pls. r	efer to fo	otnote	(1)	
	79-21-0 201-186-8 607-094-00-8 -	Acute Tox. 4*; H302 Acute Tox. 4; H312 Acute Tox. 4*; H332 Flam. Liq. 3; H226 Org. Perox. D; H242 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>=	5.00		10.00	wt%
4	Alcohols, C9-11, et						
	68439-46-3 - - -	Acute Tox. 4; H302 Eye Dam. 1; H318	>=	1.00	- <	3.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16
(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2
(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 8% Skin Irrit. 2; H315: C >= 35%	-	-
		STOT SE 3; H335: C >= 35% Skin Corr. 1B; H314: C >= 50%		
		Ox. Liq. 2; H272: C >= 50% Aquatic Chronic 3; H412: C >= 63% Ox. Liq. 1; H271: C >= 70%		
		Skin Corr. 1A; H314: C >= 70%		
2	В	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25% Eye Dam. 1; H318: C >= 25% Eye Dam. 1; H318: C >= 90% Skin Corr. 1A; H314: C >= 90%	-	-
3	-	STOT SE 3; H335: C >= 1%	M = 1	M = 10

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values				
No	lo oral dermal inhalative				
1	693,7 mg/kg bodyweight				
3	652 mg/kg bodyweight	1,957 mg/kg bodyweight			

SECTION 4: First aid measures

4.1 Description of first aid measures



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Reglaced version: 2.0.0, issued: 20.10.2022 Region: GB

General information

If medical advice is needed, have product container or label at hand.

After inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.

After skin contact

Take off immediately all contaminated clothing. If the clothing sticks to the skin: first rinse the clothing and skin with plenty of water and only then take them off. Wash with plenty of water and soap for at least 15 minutes. If possible, wear protective gloves when administering first aid. Avoid contact with contaminated clothing and shoes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. If possible, wear protective gloves when administering first aid. Avoid contact with contaminated clothing and shoes.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse AWAY from the unaffected eye. Immediately call a POISON CENTER or doctor/physician.

After ingestion

Rinse mouth. Do NOT induce vomiting. If possible, wear protective gloves when administering first aid. Avoid direct contact with contaminated clothing, shoes and vomit. Immediately call the emergency number 112

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

blindness; Pneumonitis; Pulmonary edema; Nosebleeds; chronic bronchitis

Effects

Perforation possible for esophagus and stomach after swallowing.

4.3 Indication of any immediate medical attention and special treatment needed

Take victim immediately to hospital. Immediate medical attention is required. Consult with an ophthalmologist immediately in all cases. Burns must be treated by a physician. If swallowed: Avoid gastric lavage (risk of perforation). Keep under medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); chlorine compounds; Nitrogen oxides (NOx)

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge uncontrolled into the subsoil/soil.

6.3 Methods and material for containment and cleaning up



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding waste disposal, see section 13. Information regarding personal protective measures, see section 8. Information regarding safe handling, see section 7.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary). The product should only be used in areas from which all naked lights and other sources of ignition have been excluded.

General protective and hygiene measures

Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Do not inhale vapours. Have emergency shower available. Provide eye wash fountain in work area.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight. Prevent unauthorised access.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Protect from heat and direct sunlight.

Incompatible products

Do not store together with foodstuffs. Do not store together with: organic materials

7.3 Specific end use(s)

Industry solution

Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	hydrogen peroxide solution	7722-84-1		231-765-0	
	List of approved workplace exposure limits (WELs) / E	EH40			
	Hydrogen peroxide				
	WEL short-term (15 min reference period)	2.8	mg/m³	2	ppm
	WEL long-term (8-hr TWA reference period)	1.4	mg/m³	1	ppm
2	Acetic acid	64-19-7		200-580-7	
	2017/164/EU				
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm
	List of approved workplace exposure limits (WELs) / E	EH40			
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm

DNEL, DMEL and PNEC values



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	hydrogen peroxide solution		7722-84-1		
				231-765-0	
	inhalative	Short term (acut)	local	3	mg/m³
	inhalative	Long term (chronic)	local	1.4	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no)
	Route of exposure			Value	
1	hydrogen peroxide solution			7722-84-1	
				231-765-0	
	inhalative	Short term (acut)	local	1.93	mg/m³
	inhalative	Long term (chronic)	local	0.21	ma/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	hydrogen peroxide solution		7722-84-1	
			231-765-0	
	water	fresh water	0.0126	mg/L
	water	marine water	0.0126	mg/L
	water	fresh water sediment	0.047	mg/kg dry
				weight
	water	Aqua intermittent	1.38	mg/L
	soil	-	0.0019	mg/kg moist
				mass
	soil	-	0.0023	mg/kg dry
				weight
	sewage treatment plant	-	4.66	mg/L

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection with steam filter (EN 141)

Respiratory filter (gas): ABEK-P2

Eye / face protection

Safety glasses (EN 166); If splashes are likely to occur, wear: Tightly fitting safety goggles. Face-shield.

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness 0.4 mm
Breakthrough time >= 480 mm

Other

Chemical-resistant work clothes. Rubber boots. (EN 13832-3/EN ISO 20345); Hygiene measures: Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties



Solubility in water

Source

Comments

Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

9.1

1 Information on basic physical and o	chemical proper	rties		
State of aggregation				
Form				
liquid				
Colour				
colourless				
Odour				
acrid				
pH value				
Value	<	2.0		
Boiling point / boiling range				
Value		105	°C	
Melting point/freezing point				
Value	appr.	-42	°C	
Method	Calculation m	ethod		
Decomposition temperature				
Value	>=	60	°C	
Comments	Temperature of	of self-accele	erating decomposition (SADT)	
Flash point				
Method	closed cup			
Ignition temperature				
No data available				
Oxidising properties				
Ox. Liq. 2				
Oxidizing agents				
Explosive properties				
The product does not have explosive properties	es.			
Flammability				
No data available				
Lower explosion limit				
No data available				
Upper explosion limit				
No data available				
Vapour pressure Value	appr.	32	hPa	
Reference temperature	аррі.	25	°C	
Method	calculated			
Relative vapour density				
No data available				
Relative density				
Value		1.1		
Density				
No data available				

Completely miscible

Manufacturer



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

Solubility

No data available

Soluble in

aromatic solvents; organic solvents

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS no.	EC no.			
1	hydrogen peroxide solution	7722-84-1	231-765-0			
log Pow		_^	1.57			
		ECHA				

Kinematic viscosity
No data available

Particle characteristics

No data available

9.2 Other information

C	Other information
(Corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposition on heating. Heating may cause a fire. Potential for Exothermic hazard.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Posibility of explosion when heated in confinement.

10.4 Conditions to avoid

Do not overheat to avoid thermal decomposition.

10.5 Incompatible materials

Oxidizing agents; Metals; Reducing agents; Bases; Acids; organic materials; combustible materials

10.6 Hazardous decomposition products

Oxygen

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity							
No	Product Name							
1	CLEANZAR							
LD5	0	1922 mg/	kg					
Spe	cies	rat						
Source		Manufacturer						
Com	ments	Analogous to a product with a similar composition.						

Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)		
No	No Product Name		
1	CLEANZAR		
	ma/ka		

Acu	Acute dermal toxicity			
No	Product Name			
1	CLEANZAR			
LD50			1147	mg/kg
Species		rabbit		



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

Source	Manufacturer
Comments	Analogous to product with a similar composition.

Acu	Acute inhalational toxicity				
No	Product Name				
1	CLEANZAR				
LC50			4	mg/m³	
Duration of exposure			4	h	
State of aggregation		Dust/mist			
Species		rat			
Source		Manufacturer			
Comments		Analogous to p	roduct with a similar composition		

Skin	Skin corrosion/irritation			
No	Product Name			
1	CLEANZAR			
Spec	cies	rabbit		
Soul	ce	Manufacturer		
Eval	uation	corrosive		

Seri	Serious eye damage/irritation		
No	Product Name		
1	CLEANZAR		
Spe	cies	rabbit	
Soul	rce	Manufacturer	
Eval	uation	corrosive	

Res	Respiratory or skin sensitisation			
No	Product Name			
1	CLEANZAR			
Route of exposure Ski		Skin		
Spe	cies	guinea pig		
Source		Manufacturer		
Evaluation		non-sensitizing		

Ger	Germ cell mutagenicity			
No	Product Name			
1	CLEANZAR			
Source		Manufacturer		
Evaluation/classification		Based on available data, the classification criteria are not met.		

Rep	Reproduction toxicity		
No	Product Name		
1	CLEANZAR		
Source Manufacturer		Manufacturer	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Card	Carcinogenicity				
No	Substance name	CAS no.	EC no.		
1	hydrogen peroxide solution	7722-84-1	231-765-0		
Soul	rce	ECHA			
Evaluation/classification		Based on available data, the classification	n criteria are not met.		

STC	STOT - single exposure			
No				
1	CLEANZAR			
Source		Manufacturer		
Evaluation/classification		Based on available data, the classification criteria are met.		

STO	STOT - repeated exposure		
No	Product Name		
1	CLEANZAR		
Sou	ce	Manufacturer	
Evaluation/classification		Based on available data, the classification criteria are not met.	



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Region: 2.0.0, issued: 20.10.2022 Region: GB

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	CAS no.		EC no.		
1	hydrogen peroxide solution	7722-84-1		231-765-0		
LC5	0		16.4	mg/l		
Dura	ation of exposure		96	h		
Spe	cies	Pimephales promelas				
Meth	nod	EPA				
Soul	rce	ECHA				
2	peracetic acid %	79-21-0		201-186-8		
LC5	0		1.1	mg/l		
Dura	ation of exposure		96	h		
Spe	cies	Lepomis macrochirus				
Soul	rce	Manufacturer				

Toxi	Toxicity to fish (chronic)						
No	Substance name	CAS n	10.	EC no.			
1	peracetic acid %	79-21-	0	201-186-8			
NOE	:C		0.00094	mg/l			
Dura	ation of exposure		33	day(s)			
Species		Danio rerio					
Soul	rce	Manufacturer					

Toxi	city to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	hydrogen peroxide solution	7722-84-1		231-765-0	
EC5	0		2.4	mg/l	
Dura	ition of exposure		48	h	
Spec	cies	Daphnia pulex			
Meth	nod	EPA			
Soul	rce	ECHA			
2	peracetic acid %	79-21-0		201-186-8	
EC5	0		0.73	mg/l	
Dura	tion of exposure		48	h	
Spec	cies	Daphnia magna			
Soul	ce	Manufacturer			

Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)						
No	Substance name	CAS no.		EC no.			
1	hydrogen peroxide solution	7722-84-1		231-765-0			
ErC:	50		2.62	mg/l			
Dura	ation of exposure		72	h			
Spe	cies	Skeletonema costatum					
Meth	nod	OECD 201					
Sou	rce	ECHA					
2	peracetic acid %	79-21-0		201-186-8			



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

EC50 Duration of exposure	0.16 72	mg/l h
Species	Pseudokirchneriella subcapitata	
Source	Manufacturer	

Toxi	Toxicity to algae (chronic)						
No	Substance name	CAS no.		EC no.			
1	hydrogen peroxide solution	7722-84-1		231-765-0			
NOE	EC .		0.63	mg/l			
Dura	ation of exposure		72	h ¯			
Spe	cies	Skeletonema costatum					
Meth	nod	OECD 201					
Sou	rce	ECHA					

Bacteria toxicity
No data available

12.2 Persistence and degradability

- <u></u> -	iz i didictorio una adgradaminy						
Biod	Biodegradability						
No	Substance name	CAS no.	EC no.				
1	hydrogen peroxide solution	7722-84-1	231-765-0				
Sou	rce	ECHA					
Eval	Evaluation readily biodegradable						

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
	, ,					
No	Substance name	CAS no.		EC no.		
1	hydrogen peroxide solution	7722-84-1		231-765-0		
log F	Pow		-1.57			
Soul	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product uncontrolled into the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Reglaced version: 2.0.0, issued: 20.10.2022 Region: GB

14.1 Transport ADR/RID/ADN

Class 5.1
Classification code OC1
Packing group II
Hazard identification no. 58
UN number UN3149

Proper shipping name HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED

Tunnel restriction code E

Label 5.1+8

14.2 Transport IMDG

Class 5.1 Subsidiary Risk 8 Packing group II

UN number UN3149

Proper shipping name HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED

EmS F-H, S-Q Label 5.1+8

14.3 Transport ICAO-TI / IATA

Class 5.1
Subrisk 8
Packing group II
UN number UN3149

Proper shipping name Hydrogen peroxide and peroxyacetic acid mixture, stabilized

Label 5.1+8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	Acetic acid	64-19-7	200-580-7	75
2	hydrogen peroxide solution	7722-84-1	231-765-0	75



Product no.: SY 042 C1255 UK

Current version: 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB

3 peracetic acid . . . % 79-21-0 201-186-8 75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

E1, P8

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

National regulations

Other regulations

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226 Flammable liquid and vapour. H242 Heating may cause a fire.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H318 Causes serious eye damage.

H332 Harmful if inhaled. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 759905



Product no.: SY 042 C1255 UK

Current version : 2.0.2, issued: 16.12.2022 Replaced version: 2.0.0, issued: 20.10.2022 Region: GB