

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****CYFLAMID****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Plant protection product

Fungicide

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Certis Europe B.V. - United Kingdom

Suite 5, 3 Riverside

Granta Park - Great Abington

Cambridgeshire CB21 6AD

United Kingdom

Telephone no. +44 (0) 1223 894 261

Fax no. +44 (0)1223 891210

e-mail info@certiseurope.co.uk - www.certiseurope.co.uk

Advice on Safety Data Sheet

certis@certiseurope.co.uk

1.4 Emergency telephone number

For further advice for medical professionals:

Dublin – National Poisons Information Centre, Beaumont Hospital, Dublin 9:

Available from 8 am to 10pm – 7 days: +353 (01) 809 2166

Available 24hrs: +353(01)809 2566

Carechem 24 GB: +44 870 190 6777

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 2; H411

Classification information

Classification and labelling are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS09

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE**Signal word**

-

Hazard statement(s)

H411 Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statement(s)

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazardsPBT assessment
No data available.vPvB assessment
No data available.**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

| No | Substance name | Additional information | |
|----|---|--|------------------------|
| | CAS / EC / Index / REACH no | Classification (EC) 1272/2008 (CLP) | Concentration |
| | | | % |
| 1 | hydrocarbons, C10-C13, aromatics, <1% naphthalene | | |
| | - 922-153-0 - - | Asp. Tox. 1; H304 EUH066 Aquatic Chronic 2; H411 | >= 10,00 - < 25,00 wt% |
| 2 | Alcohols, C16-18 and C18 unsaturated, ethoxylated | | |
| | 68920-66-1 500-236-9 - 01-2119489407-26 | Skin Irrit. 2; H315 Aquatic Chronic 2; H411 | >= 10,00 - < 25,00 wt% |
| 3 | Ethoxylated Polyarylphenol | | |
| | 99734-09-5 - - - | Aquatic Chronic 3; H412 | >= 5,00 - < 10,00 wt% |
| 4 | Cyflufenamid | | |
| | 180409-60-3 - - - | Aquatic Chronic 1; H410 | >= 5,00 - < 10,00 wt% |
| 5 | Polyarylphenyl ether phosphate | | |
| | 90093-37-1 - - - | Eye Irrit. 2; H319 | < 2,50 wt% |
| 6 | 1,2-benzisothiazol-3(2H)-one | | |
| | 2634-33-5 220-120-9 613-088-00-6 | Acute Tox. 4*; H302 Aquatic Acute 1; H400 Eye Dam. 1; H318 | >= 0,05 - < 1,00 wt% |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

| | | | |
|---|---|--|--|
| - | Skin Irrit. 2; H315 Skin Sens. 1; H317 | | |
|---|---|--|--|

Full Text for all H-phrases and EUH-phrases: pls. see section 16
(* , ** , *** , ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

| No | Note | Specific concentration limits | M-factor (acute) | M-factor (chronic) |
|----|------|--------------------------------|------------------|--------------------|
| 6 | - | Skin Sens. 1; H317: C >= 0,05% | - | - |

| Acute toxicity estimate (ATE) values | | | |
|--------------------------------------|-----------------------|--------|------------|
| No | oral | dermal | inhalative |
| 2 | 2000 mg/kg bodyweight | | |

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures necessary. In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Call a doctor immediately and show label or packaging. Do not induce vomiting. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); carbonyl compounds; Nitrogen oxides (NO_x); Hydrogen fluoride (HF)

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing. Cool closed containers exposed to fire with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge uncontrolled into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding waste disposal, see section 13. Information regarding personal protective measures, see section 8. Information regarding safe handling, see section 7.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Do not inhale vapours.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Do not store together with foodstuffs.

7.3 Specific end use(s)**Industry solution**

Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****DNEL, DMEL and PNEC values****DNEL values (worker)**

| No | Substance name | | | CAS / EC no | |
|----|---|---------------------|----------|-------------------------|-------------------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | Alcohols, C16-18 and C18 unsaturated, ethoxylated | | | 68920-66-1 500-236-9 | |
| | dermal | Long term (chronic) | systemic | 2080 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 294 | mg/m ³ |

DNEL value (consumer)

| No | Substance name | | | CAS / EC no | |
|----|---|---------------------|----------|-------------------------|-----------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | Alcohols, C16-18 and C18 unsaturated, ethoxylated | | | 68920-66-1 500-236-9 | |
| | oral | Long term (chronic) | systemic | 25 | mg/kg/day |
| | dermal | Long term (chronic) | systemic | 1250 | mg/kg/day |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

| | | | | |
|------------|---------------------|----------|----|-------------------|
| inhalative | Long term (chronic) | systemic | 87 | mg/m ³ |
|------------|---------------------|----------|----|-------------------|

PNEC values

| No | Substance name | CAS / EC no |
|------------------------|---|-------------------------|
| ecological compartment | | Type |
| | | Value |
| 1 | Alcohols, C16-18 and C18 unsaturated, ethoxylated | 68920-66-1 500-236-9 |
| | water | fresh water |
| | water | Aqua intermittent |
| | water | fresh water sediment |
| | water | marine water |
| | water | marine water sediment |
| | soil | - |
| | sewage treatment plant | - |

8.2 Exposure controls**Appropriate engineering controls**

No data available.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material

butyl rubber

Material thickness

>=

0,4

mm

Breakthrough time

>

480

min

Other

Chemical-resistant work clothes. Rubber boots. (EN 13832-3/EN ISO 20345)

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

| | |
|--------------------------------------|--------|
| State of aggregation | |
| liquid | |
| Form/Colour | |
| liquid, viscous | |
| white to slightly yellow | |
| Odour | |
| aromatic | |
| pH value | |
| No data available | |
| Boiling point / boiling range | |
| Value | 103 °C |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

| Melting point/freezing point | | | |
|--|--|--------------|-----------|
| Value | appr. -10 - 0 °C | | |
| Decomposition temperature | | | |
| No data available | | | |
| Flash point | | | |
| Value | 112 °C | | |
| Method | Cleveland open cup | | |
| Ignition temperature | | | |
| No data available | | | |
| Oxidising properties | | | |
| not oxidizing | | | |
| Explosive properties | | | |
| The product does not have explosive properties. | | | |
| Flammability | | | |
| No data available | | | |
| Lower explosion limit | | | |
| No data available | | | |
| Upper explosion limit | | | |
| No data available | | | |
| Vapour pressure | | | |
| Value | 3,54 * 10 ⁻⁵ Pa | | |
| Reference temperature | 20 °C | | |
| Comments | Active substance | | |
| Relative vapour density | | | |
| No data available | | | |
| Relative density | | | |
| Value | 1,027 | | |
| Reference temperature | 20 °C | | |
| Comments | H2O = 1 | | |
| Density | | | |
| No data available | | | |
| Solubility in water | | | |
| Comments | insoluble | | |
| Solubility | | | |
| No data available | | | |
| Partition coefficient n-octanol/water (log value) | | | |
| No | Substance name | CAS no. | EC no. |
| 1 | Cyflufenamid | 180409-60-3 | - |
| log Pow | | 4,7 | |
| Reference temperature | | 25 °C | |
| with reference to | | pH 6,75 | |
| Source | | Manufacturer | |
| 2 | 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 220-120-9 |
| log Pow | | 1,45 | |
| Source | | Manufacturer | |
| Viscosity | | | |
| Value | 3,7 x 10 ⁻⁵ m ² /s | | |
| Reference temperature | 40 °C | | |
| Comments | Though this product contains 18% of solvent naphtha (petroleum), heavy arom., the viscosity of this product was more than 2,05x 10 ⁻⁵ m ² /s. Therefore H304 was not applicable. | | |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE**Particle characteristics**

No data available

9.2 Other information**Other information**

Surface Tension: 33,0 mN/m (pur à 25°C) – 31,9 mN/m (1,0 g s.a./L à 20°C)

SECTION 10: Stability and reactivity**10.1 Reactivity**

The product is stable under normal storage and handling conditions.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Oxidizing agents; strong bases; strong acids

10.6 Hazardous decomposition products

Combustion or thermal decomposition may generate toxic vapours.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity****No | Product Name****1 | CYFLAMID**

| | | | |
|---------|--------------|------|-------|
| LD50 | > | 5000 | mg/kg |
| Species | rat | | |
| Source | Manufacturer | | |

Acute dermal toxicity**No | Product Name****1 | CYFLAMID**

| | | | |
|---------|--------------|------|-------|
| LD50 | > | 2000 | mg/kg |
| Species | rat | | |
| Source | Manufacturer | | |

Acute inhalational toxicity**No | Product Name****1 | CYFLAMID**

| | | | |
|----------------------|---------------------------------|------|------|
| LC50 | > | 4,41 | mg/l |
| Duration of exposure | | 4 | h |
| State of aggregation | Dust/mist | | |
| Species | rat | | |
| Source | Manufacturer | | |
| Comments | highest checkable concentration | | |

Skin corrosion/irritation**No | Product Name****1 | CYFLAMID**

| | | | |
|---------------------------|---|--|--|
| Species | rabbit | | |
| Source | Manufacturer | | |
| Evaluation | low-irritant | | |
| Evaluation/classification | Based on available data, the classification criteria are not met. | | |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

| Serious eye damage/irritation | |
|-------------------------------|---|
| No | Product Name |
| 1 | CYFLAMID |
| Species | rabbit |
| Source | Manufacturer |
| Evaluation | low-irritant |
| Evaluation/classification | Based on available data, the classification criteria are not met. |

| Respiratory or skin sensitisation | |
|-----------------------------------|-----------------|
| No | Product Name |
| 1 | CYFLAMID |
| Route of exposure | Skin |
| Species | guinea pig |
| Source | Manufacturer |
| Evaluation | Non-sensitizing |

| Germ cell mutagenicity | | | |
|---------------------------|---|-------------|--------|
| No | Substance name | CAS no. | EC no. |
| 1 | Cyflufenamid | 180409-60-3 | - |
| Source | Manufacturer | | |
| Evaluation/classification | Based on available data, the classification criteria are not met. | | |

| Reproduction toxicity | | | |
|---------------------------|---|-------------|--------|
| No | Substance name | CAS no. | EC no. |
| 1 | Cyflufenamid | 180409-60-3 | - |
| Source | Manufacturer | | |
| Evaluation/classification | Based on available data, the classification criteria are not met. | | |

| Carcinogenicity | | | |
|---------------------------|---|-------------|--------|
| No | Substance name | CAS no. | EC no. |
| 1 | Cyflufenamid | 180409-60-3 | - |
| Source | Manufacturer | | |
| Evaluation/classification | Based on available data, the classification criteria are not met. | | |

| STOT - single exposure | |
|------------------------|--|
| No data available | |

| STOT - repeated exposure | |
|--------------------------|--|
| No data available | |

| Aspiration hazard | |
|-------------------|--|
| No data available | |

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish (acute) | | | |
|--------------------------|---------------------|------|------|
| No | Product Name | | |
| 1 | CYFLAMID | | |
| LC50 | | 9,84 | mg/l |
| Duration of exposure | | 96 | h |
| Species | Oncorhynchus mykiss | | |
| Source | Manufacturer | | |

| Toxicity to fish (chronic) | |
|----------------------------|--|
| No data available | |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

| Toxicity to Daphnia (acute) | | | |
|------------------------------------|--------------|------|------|
| No | Product Name | | |
| 1 | CYFLAMID | | |
| EC50 | | 9,48 | mg/l |
| Duration of exposure | | 48 | h |
| Species | Daphnia | | |
| Source | Manufacturer | | |

| Toxicity to Daphnia (chronic) | | | |
|--------------------------------------|--|--|--|
| No data available | | | |

| Toxicity to algae (acute) | | | |
|----------------------------------|--------------|-------|------|
| No | Product Name | | |
| 1 | CYFLAMID | | |
| ErC50 | | 1,628 | mg/l |
| Duration of exposure | | 72 | h |
| Species | Algae | | |
| Source | Manufacturer | | |

| Toxicity to algae (chronic) | | | |
|------------------------------------|--------------|-------|------|
| No | Product Name | | |
| 1 | CYFLAMID | | |
| NOEC | | 0,395 | mg/l |
| Species | Algae | | |
| Source | Manufacturer | | |

| Bacteria toxicity | | | |
|--------------------------|--|--|--|
| No data available | | | |

12.2 Persistence and degradability

| Biodegradability | | | |
|-------------------------|---|-------------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | Alcohols, C16-18 and C18 unsaturated, ethoxylated | 68920-66-1 | 500-236-9 |
| Value | | 99 | % |
| Duration | | 28 | day(s) |
| Method | OECD 301 B | | |
| Source | ECHA | | |
| 2 | Cyflufenamid | 180409-60-3 | - |
| Source | Manufacturer | | |
| Evaluation | not readily biodegradable | | |
| 3 | 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 220-120-9 |
| Value | | > 90 | % |
| Method | OECD 303 A | | |
| Source | Manufacturer | | |
| Evaluation | readily biodegradable | | |

12.3 Bioaccumulative potential

| Bioconcentration factor (BCF) | | | |
|--------------------------------------|------------------------------|-------------|-----------|
| No | Substance name | CAS no. | EC no. |
| 1 | Cyflufenamid | 180409-60-3 | - |
| BCF | | 528 | |
| Species | fish | | |
| Source | Manufacturer | | |
| 2 | 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 220-120-9 |
| BCF | | 2 | |
| Source | Manufacturer | | |

| Partition coefficient n-octanol/water (log value) | | | |
|--|----------------|-------------|--------|
| No | Substance name | CAS no. | EC no. |
| 1 | Cyflufenamid | 180409-60-3 | - |
| log Pow | | 4,7 | |
| Reference temperature | | 25 | °C |
| with reference to | pH 6,75 | | |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

| | |
|---------|------------------------------|
| Source | Manufacturer |
| 2 | 1,2-benzisothiazol-3(2H)-one |
| | 2634-33-5 |
| | 220-120-9 |
| log Pow | 1,45 |
| Source | Manufacturer |

12.4 Mobility in soil

| Mobility in soil | | | |
|------------------|----------------|-------------|--------|
| No | Substance name | CAS no. | EC no. |
| 1 | Cyflufenamid | 180409-60-3 | - |
| log Koc | 3 | - | 3,3 |
| Source | Manufacturer | | |

12.5 Results of PBT and vPvB assessment

| Results of PBT and vPvB assessment | |
|------------------------------------|--------------------|
| PBT assessment | No data available. |
| vPvB assessment | No data available. |

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

| Other information |
|--|
| Do not discharge product unmonitored into the environment. |

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

| | |
|--|---|
| Class | 9 |
| Classification code | M6 |
| Packing group | III |
| Hazard identification no. | 90 |
| UN number | UN3082 |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Technical name | Cyflufenamid |
| Tunnel restriction code | - |
| Label | 9 |
| Environmentally hazardous substance mark | Symbol "fish and tree" |

14.2 Transport IMDG

| | |
|-----------------------|---|
| Class | 9 |
| Packing group | III |
| UN number | UN3082 |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Technical name | Cyflufenamid |
| EmS | F-A, S-F |
| Label | 9 |
| Marine pollutant mark | Symbol "fish and tree" |

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE**14.3 Transport ICAO-TI / IATA**

| | |
|--|---|
| Class | 9 |
| Packing group | III |
| UN number | UN3082 |
| Proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Technical name | Cyflufenamid |
| Label | 9 |
| Environmentally hazardous substance mark | Symbol "fish and tree" |

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
EU regulations**Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

| | |
|--|------|
| The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. | No 3 |
|--|------|

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

| | |
|--|----|
| This product is subject to Part I of Annex I, risk category: | E2 |
|--|----|

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Regulation (EC) No 1107/2009 concerning the placing of plant protection products on the market

Regulation (EU) No 547/2011 implementing Regulation (EC) No 1107/2009 as regards labelling requirements for plant protection products

Annex III

| | |
|-----|---|
| SP1 | Do not contaminate water with the product or its container. |
|-----|---|

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Trade name: CYFLAMID**Product no.:** NI 022 C0058 IE**Current version :** 1.1.0, issued: 14.02.2022**Replaced version:** 1.0.0, issued: 04.03.2020**Region:** IE

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

| | |
|--------|---|
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763483