

## DAXXOS

(MAPP 18809)

Contains 21.06 g/kg anhydrous ferric phosphate present as 29.7 g/kg hydrated ferric phosphate

**A granular bait for control of slugs in all edible and non-edible crops. High efficacy against all relevant slug species. Rainproof formulation.**

**Batch No:**

**Net content:**

THE (COSHH) CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS MAY APPLY TO THE USE OF THIS PRODUCT AT WORK

### **SAFETY PRECAUTIONS**

#### **Operator Protection**

WASH HANDS AND EXPOSED SKIN before meals and after work.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES when handling the product or applying by hand-held equipment.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

#### **Environmental protection**

Do not contaminate water with the product or its container. Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads.

#### **Storage**

KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

### **IMPORTANT INFORMATION**

FOR USE ONLY AS A PROFESSIONAL MOLLUSCICIDE

Crops: All edible crops, all non-edible crops, amenity vegetation

Maximum individual dose: 7kg product/ha

Maximum total dose: 28 kg product/ha/crop

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING A PLANT PROTECTION PRODUCT**

## **Risk and Safety Information**

### **DAXXOS**

A granular bait formulation 21.06 g/kg anhydrous ferric phosphate present as 29.7 g/kg hydrated ferric phosphate.

Dispose of contents/ container to a licensed waste disposal contractor or collection site except for empty clean containers which may be disposed of as non-hazardous waste.

**TO AVOID RISKS TO HUMAN HEALTH AND THE ENVIRONMENT, COMPLY WITH THE INSTRUCTIONS FOR USE.**

**MAPP 18809**

## **DIRECTIONS FOR USE**

**IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.**

Daxxos is an innovative slug bait. It contains the active ingredient ferric phosphate which naturally occurs in the environment. Ferric phosphate is transformed in the soil by micro organisms into iron and phosphate and becomes part of the soil.

### **SLUG CONTROL**

Daxxos is attractive to all plant damaging slugs. The pellets attract slugs away from your plants. After eating the bait the slugs cease feeding giving protection of the plants.

Only for use in crops of oilseed rape, cereals, vegetables, fruit, ornamentals (outdoor and protected) and bare soil around ornamental plants.

Controls slugs feeding on the soil surface, reducing damage during plant emergence and lower leaf damage. Damage caused by sub-surface activity to underground plant parts such as potatoes, carrots and other roots, tubers, bulbs, corms and rhizomes etc. may not be reduced. Similarly, damage caused to aerial plant parts such as flowers, currant or Brussel sprout buds etc. may not be reduced.

Daxxos bait technology has a novel mode of action. There is also no strong slime secretion left around plants and no requirement to collect dead slugs as they crawl away to secluded places to die.

The result of treatment with Daxxos can therefore only be assessed on the basis of reduced damage.

## **CROP SPECIFIC INFORMATION**

### **Rate of Use**

Broadcast Daxxos at a rate of 7 kg/ha evenly around and over the plants to be protected, taking care to ensure that residual grains are not left within the foliage of the crop. Repeat treatments can be made up to a maximum total dose of 28 kg product /ha/crop and a maximum number of applications is 4 per year.

### **Timing of Application**

Apply directly after sowing or planting out. In the event of continued infestation and/or continued rainy weather, repeat treatment should be carried out as early as one week after treatment to maintain control.

Slugs prefer moist and soaked granules. On moist soil or in humid conditions, granules take up water and begin to swell. The granules do not decay after a few swelling processes.

### **Slug trapping**

'For further information on slug trapping and damage risk assessment, please refer to HGCA Topic Sheets No. 84 (winter wheat) and 85 (winter oilseed rape), available from the HGCA website [[www.hgca.com](http://www.hgca.com)]

CONDITIONS OF SUPPLY: The Seller warrants that the goods shall at the time of delivery to the Buyer conform to the Seller's standard specification but all other conditions and warranties, whether express or implied by statute or custom of the trade or otherwise and whether as to condition, quality, performance, merchantability, fitness for any purpose or otherwise, are expressly excluded and, subject as aforesaid, the Seller shall be under no liability whatsoever, in contract or in tort, for or in respect of any loss or damage whatsoever resulting from or arising out of the goods or supply or use thereof, whether caused by the negligence of the Seller or otherwise. The Seller shall be under no liability in respect of the warranty given above unless the Buyer allows the Seller reasonable opportunity of inspecting the goods where practicable. A consumers statutory rights are not affected.



This label is compliant with the CPA Voluntary Initiative Guidance

Marketed by:  
CERTIS

Certis Europe BV, Suite 5, 3 Riverside, Granta Park, Great Abington, Cambridgeshire, CB21 6AD

Tel: 00 44 (0) 1223 894261.

Fax: 00 44 (0) 1223 891210.

Email: [info@certiseurope.co.uk](mailto:info@certiseurope.co.uk)

**Authorisation holder:** W. Neudorff GmbH KG, An der Muhle 3, 31860 Emmerthal, Germany

® DAXXOS is a registered trademark of W. Neudorff GmbH KG.

**For technical and non-emergency calls phone 00 44 (0) 845 3730305**

**For advice on medical emergencies, fires, spillages or chemical hazards ONLY phone 00 44 (0) 870 190 6777**

---

END OF LABEL TEXT

### **Company Advisory Information**

This section is not part of the Product Label under Regulation 1107/2009. It provides additional advice on product use at the discretion of the applicant.

DAXXOS is approved for use in all edible and non-edible crops and amenity vegetation. For professional molluscicide products, CRD consider use of the terms 'all edible crops', 'all non-edible crops' and 'amenity vegetation' to be too broad a term to accurately reflect the relevant situations of use where molluscicides are applied. CRD have, therefore, provided wording of 'For use in crops of oilseed rape, cereals, vegetables, fruit, ornamentals (outdoor and protected) and bare soil around ornamental plants') to be incorporated onto these product labels.

**Material Safety Data Sheet**

To access the Safety Data Sheet for this product, scan the QR code or use the web link below

URL: <https://cutt.ly/rvjN7v>



Alternatively, contact your supplier