

Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Gavel

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Plant protection product for professional use. Agriculture. Fungicide

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Certis Belchim B.V. (EU) Stadsplateau 16 3521 AZ Utrecht - Nederland

Telephone no.	0031 (0)30 200 1200
Fax no.	0031 (0)30 310 0241
e-mail	info@certisbelchim.com

Advice on Safety Data Sheet www.certisbelchim.com

Identification of the supplier

Address

Certis Belchim B.V. - United Kingdom Suite 5, 3 Riverside, Granta Park - Great Abington Cambridgeshire CB21 6AD United Kingdom Telephone no. 0044 (0) 1223 652500 Fax no. 0044 (0)1223 891210 e-mail info.uk@certisbelchim.com - www.certisbelchim.co.uk

1.4 Emergency telephone number

Carechem 24 EU: +44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Aquatic Chronic 1; H410 Carc. 2; H351 Eye Dam. 1; H318

Classification information

Classification and labelling are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)



Trade name: Gavel Product no.: CE 002 C0030 UK Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

Hazard pictograms GHS05 Signal word Danger Hazardous component(s) to be indicated on label: 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole Imazalil (ISO) Hazard statement(s) H318 Causes serious eye damage. H351 Suspected of causing cancer. H410 Very toxic to aquatic life with long lasting effects. Hazard statements (EU) EUH401 To avoid risks to human health and the environment, comply with the instructions for use. Precautionary statement(s) P102 Keep out of reach of children. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor. P363 Wash contaminated clothing before reuse. P501 Dispose of contents/ container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as

Supplemental label elements

UFI: QJ99-F0HR-900G-A6WY

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

non-hazardous waste.

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization Imazalil techn. 100 g/l (SL)

No	Substance name	Substance name		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole			
	Imazalil (ISO)			
	35554-44-0	Acute Tox. 3; H301	>= 5.00 - < 10.00	wt%
	252-615-0	Acute Tox. 4; H332		
	613-042-00-5	Aquatic Chronic 1; H410		
	-	Carc. 2; H351		
		Eye Dam. 1; H318		
2	sulphuric acid			



Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

	7004.00.0				10/
	7664-93-9	Skin Corr. 1A; H314	<	5.00	wt%
	231-639-5	Eye Dam. 1; H318			
	016-020-00-8				
	01-2119458838-20				
3	sodium hydroxide				
	1310-73-2	Skin Corr. 1A; H314	<	2.50	wt%
	215-185-5	Eye Dam. 1; H318			
	011-002-00-6	Met. Corr. 1; H290			
	01-2119457892-27				
4	propane-1,2-diol				
	57-55-6	-	<	5.00	wt%
	200-338-0				
	-				
	01-2119456809-23				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	-	-	M = 10
2	В	Eye Irrit. 2; H319: C >= 5% Skin Irrit. 2; H315: C >= 5% Eye Dam. 1; H318: C >= 15% Skin Corr. 1A; H314: C >= 15%	-	-
3	-	Eye Irrit. 2; H319: C >= 0.5% Skin Irrit. 2; H315: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	te toxicity estimate (ATE) values		
No	oral	dermal	inhalative
1	227 mg/kg bodyweight		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If medical advice is needed, have product container or label at hand.

After inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

After skin contact

Take off contaminated clothing. Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse AWAY from the unaffected eye. Immediately call a POISON CENTER or doctor/physician.

After ingestion

Rinse mouth. Call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media



Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

Suitable extinguishing media

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Toxic gases/vapours; chlorine compounds; Nitrogen oxides (NOx); Hydrocarbons

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge uncontrolled into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding waste disposal, see section 13. Information regarding personal protective measures, see section 8. Information regarding safe handling, see section 7.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Do not inhale vapours.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight.

Storage stability

Value max. 2

year(s)

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Do not store together with foodstuffs.

7.3 Specific end use(s)



Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

Industry solution

Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	propane-1,2-diol	57-55-6		200-338-0	
	List of approved workplace exposure limits (WELs) / E	EH40			
	Propane-1,2-diol				
	vapour & particulates				
	WEL long-term (8-hr TWA reference period)	474	mg/m³	150	ppm
	List of approved workplace exposure limits (WELs) / E	EH40			
	Propane-1,2-diol particulates				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		
2	sulphuric acid	7664-93-9		231-639-5	
	2009/161/EU				
	sulphuric acid (mist)				
	Mist				
	WEL long-term (8-hr TWA reference period)	0.05	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40				
	Sulphuric acid mist				
	WEL long-term (8-hr TWA reference period)	0.05	mg/m³		
	Comments	The mist is d	lefined as the t	horacic fractior	า
3	sodium hydroxide	1310-73-2		215-185-5	
	List of approved workplace exposure limits (WELs) / E	EH40			
	Sodium hydroxide				
	WEL short-term (15 min reference period)	2	mg/m³		

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name		istance name		no
	Route of exposure	Exposure time	Effect	Value	
	sulphuric acid			7664-93- 231-639-	
	inhalative	Long term (chronic)	local	0.05	mg/m³
	inhalative	Short term (acut)	local	0.1	mg/m³
2	sodium hydroxide			1310-73-2 215-185-	
	inhalative	Long term (chronic)	local	1	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure Exposure time Effect			Value	
1	sodium hydroxide			1310-73-2	
	_			215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.



Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Appropriate Material nitrile rubber

Other

Chemical-resistant work clothes. Rubber boots. (EN 13832-3/EN ISO 20345)

Environmental exposure controls No data available.

No data avallable

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
Form			
liquid			
Colour			
yellowish			
Odour			
No data available			
pH value	1		
Value Concentration		4.2 1	% aqueous solution
Source	Manufacturer		
	•		
Boiling point / boiling range No data available			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value	>	101	°C
Source	Manufacturer		
Ignition temperature			
No data available			
Auto-ignition temperature			
Value		545	°C
Oxidising properties			
not oxidizing			
Explosive properties			
not explosive			
Flammability			
No data available			
Lower explosion limit			
No data available			



Trade name: Gavel Product no.: CE 002 C0030 UK Current version : 3.0.4, issued: 28.06.2023 Replaced version: 3.0.3, issued: 22.06.2023 Region: GB **Upper explosion limit** No data available Vapour pressure No data available **Relative vapour density** No data available **Relative density** 1.074 Value Density No data available Solubility No data available Partition coefficient n-octanol/water (log value) No Substance name CAS no. EC no. 1 35554-44-0 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-252-615-0 imidazole Imazalil (ISO) 3.82 log Pow with reference to pH: 9.2 Source Manufacturer **Kinematic viscosity** 2.292 mPa*s Value Reference temperature 20 °C dynamic Type Value 2.142 x 10 exp -6 m²/s Туре kinematic **Particle characteristics** No data available 9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable under normal storage and handling conditions.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions Dangerous reactions are not to be expected when handling product according to its intended use.

- **10.4 Conditions to avoid** Heat
- **10.5** Incompatible materials None known.

10.6 Hazardous decomposition products In case of fire the following can be released: Toxic gases/vapours; Carbon monoxide and carbon dioxide; Nitrous oxides (NOx); Hydrocarbons

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008



Trade name: Gavel

Product no.: CE 002 C0030 UI	<
------------------------------	---

Current version: 3.0.4, issued: 28.06.2023

Region: GB

Acute oral toxicity				
No Product Name				
1 Gavel				
LD50	>	2000	mg/kg	
Species	rat			
Source	Manufacturer			
Acute dermal toxicity				
No Product Name				
1 Gavel				
LD50	>	2000	mg/kg	
Species	rabbit			
Source	Manufacturer			
Acute inhalational toxicity				
No Product Name				
1 Gavel				
LC50	>	5	mg/m³	
Duration of exposure		4	h	
State of aggregation	Dust/mist			
Species	rat			
Source	Manufacturer			
Skin corrosion/irritation				
No Product Name				
1 Gavel				
Source	Manufacturer			
Evaluation	non-irritant			
Serieus que demonstruitation				
Serious eye damage/irritation No Product Name				
1 Gavel				
Source	Manufacturer			
Evaluation	risk of strong eye injuries			
Respiratory or skin sensitisation				
No Product Name				
1 Gavel Route of exposure	Skin			
Source	Manufacturer			
Evaluation	non-sensitizing			
	non-sensitizing			
Germ cell mutagenicity				
No Substance name	CAS no.		C no.	
1 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethy	I]-1H- 35554-44-0	2	52-615-0	
imidazole				
Imazalil (ISO) Type of examination	Deverse Mutation Assau			
Species	Reverse Mutation Assay Salmonella typhimurium			
Source	Manufacturer			
Evaluation/classification	Based on available data, the	classification c	riteria are not met	
Reproduction toxicity				
No Substance name	CAS no.		C no.	
1 sulphuric acid	7664-93-9	2	31-639-5	
Route of exposure	inhalational	40.0		
NOAEC		19.3	mg/m ³	
Duration of exposure Species	rabbit	18	day(s)	
Method	OECD 414			
Source	ECHA			
Evaluation/classification	Based on available data, the	e classification c	riteria are not met.	
	. ,			



Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

Car	cinogenicity			
No	Product Name			
1	Gavel			
Eva	luation/classification	Based on available data	the classification	ation criteria are met.
STC)T - single exposure			
No	data available			
STC	OT - repeated exposure			
No	Substance name	CAS no.		EC no.
1	sulphuric acid	7664-93-9		231-639-5
Rou	te of exposure	inhalational		
LOA	AEC		0.3	mg/m³
	ation of exposure		28	day(s)
Dura				
	cies	rat		
	cies	rat OECD 412		
Spe	cies hod			

Aspiration hazard

No data available

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)				
No Product Name				
1 Gavel				
LC50		20.99	mg/l	
Duration of exposure		96	h	
Species	Oncorhynchus mykiss			
Source	Manufacturer			
Toxicity to fish (chronic)				
No data available				
Toxicity to Daphnia (acute)				
No Product Name				
1 Gavel				
EC50		20.306	mg/l	
Duration of exposure		48	h	
Species	Daphnia magna			
Source	Manufacturer			
Toxicity to Daphnia (chronic)				
No data available				
Toxicity to algae (acute)				
No Product Name 1 Gavel				
ErC50		3.45	ma/l	
Duration of exposure		72	mg/l h	
Species Selenastrum capricornutum				
Source Manufacturer				
Toxicity to algae (chronic)				



Trade name: Gavel

Product no.: CE 002 C0030 UK

Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

	No d	lata available					
	Bact	Bacteria toxicity					
		ata available					
12	2.2 Persistence and degradability No data available.						
12	12.3 Bioaccumulative potential						
	Bioc	oncentration factor (BCF)					
	No	Substance name		CAS no.		EC no.	
	1	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethy	I]-1H-	35554-44-0		252-615-0	
		imidazole Imazalil (ISO)					
	BCF		48.7	-	63.8		
	Sour	ce	Manufacturer				
	Partition coefficient n-octanol/water (log value)						
	No	Substance name		CAS no.		EC no.	
	1	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethy imidazole Imazalil (ISO)	I]-1H-	35554-44-0		252-615-0	
	log Pow				3.82		
	with	reference to	pH: 9,2				
	Sour	ce	Manufacturer				

12.4 Mobility in soil

Mobility in soil						
No	Substance name		CAS no.		EC no.	
1	1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethy imidazole Imazalil (ISO)	'I]-1H-	35554-44-0		252-615-0	
log k	Кос	3.318	-	3.911		
with	reference to	soil				
Sou	rce	Manufacturer				

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product into the environment other than the label use this product is intended for.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN



Trade	e name: Gavel			
Product no.: CE 002 C0030 UK				
Curren	t version : 3.0.4, issued: 28.06.2023	Replaced version: 3.0.3, issued: 22.06.2023	Region: GB	
	Class Classification code Packing group Hazard identification no. UN number Proper shipping name Technical name Tunnel restriction code Label Environmentally hazardous substance mark	9 M6 III 90 UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole Imazalil (ISO) - 9 Symbol "fish and tree"		
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name EmS Label Marine pollutant mark	9 III UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole Imazalil (ISO) F-A, S-F 9 Symbol "fish and tree"		
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Technical name Label Environmentally hazardous substance mark	9 III UN3082 Environmentally hazardous substance, liquid, n.o.s. 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole Imazalil (ISO) 9 Symbol "fish and tree"		
14.4	Other information 1- [2- (allyloxy) -2- (2,4-dichlorophényl) éthyl] -1H-imidazole = imazalil			
14.5	5 Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.			
14.6	5 Special precautions for user No data available.			
14.7	7 Maritime transport in bulk according to IMO instruments Not relevant			
SEC	TION 15: Regulatory inform	nation		
15.1	Safety, health and environme	ental regulations/legislation specific for the substance or mix	ture	
	FII regulations			

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation) According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.



Trade name: Gavel

Product no.: CE 002 C0030 UK

Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII No Substance name CAS no. EC no. No 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-35554-44-0 252-615-0 75 1 imidazole Imazalil (ISO) 2 7664-38-2 231-633-2 75 phosphoric acid 3 1310-73-2 215-185-5 75 sodium hydroxide sulphuric acid 7664-93-9 231-639-5 75 4 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: F1 Other regulations Adhere to the national sanitary and occupational safety regulations when using this product. Regulation (EC) No 1107/2009 concerning the placing of plant protection products on the market

Regulation (EU) No 547/2011 implementing Regulation (EC) No 1107/2009 as regards labelling requirements for plant protection products

Annex III SP1

Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI) B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de



Trade name: Gavel Product no.: CE 002 C0030 UK Current version : 3.0.4, issued: 28.06.2023

Replaced version: 3.0.3, issued: 22.06.2023

Region: GB

This information is based on our present knowledge and experience. The safety data sheet describes products with a view to safety requirements. It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 756593