

Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

INARI

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Plant protection product

Fungicide

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Certis Europe B.V. - United Kingdom

Suite 5, 3 Riverside

Granta Park - Great Abington

Cambridgeshire CB21 6AD

United Kingdom

Telephone no. +44 (0) 1223 894 261 Fax no. +44 (0)1223 891210

e-mail info@certiseurope.co.uk - www.certiseurope.co.uk

Advice on Safety Data Sheet

certis@certiseurope.co.uk

1.4 Emergency telephone number

Carechem 24 GB: +44 870 190 6777

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411

Classification information

Classification and labelling are based on toxicological studies performed on the product (mixture).

Classification and labelling with respect to water pollution risks are based on ecotoxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

_

Hazard statement(s)

H411 Toxic to aquatic life with long lasting effects.



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statement(s)

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container to a licensed hazardous waste disposal contractor or

collection site except for triple rinsed empty clean containers which can be disposed of as

non-hazardous waste.

2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Cyflufenamid 50 g/l (EW)

Hazardous ingredients

No	Substance name		Additi	ional information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	hydrocarbons, C10	-C13, aromatics, <1% naphthalene				
	-	Asp. Tox. 1; H304	>=	10.00 - <	25.00	wt%
	922-153-0	EUH066				
	-	Aquatic Chronic 2; H411				
0	-	1040				
2		nd C18 unsaturated, ethoxylated		40.00	05.00	10/
	68920-66-1	Skin Irrit. 2; H315	>=	10.00 - <	25.00	wt%
	500-236-9	Aquatic Chronic 2; H411				
	01 2110490407 26					
3	01-2119489407-26	numbanal				
<u>ა</u>	Ethoxylated Polyar		>=	5.00 - <	10.00	wt%
	99734-09-5	Aquatic Chronic 3; H412	>=	5.00 - <	10.00	Wl%
	-					
4	Cyflufenamid					
	180409-60-3	Aquatic Chronic 1; H410	>=	5.00 - <	10.00	wt%
	_	, ,				
	-					
	-					
5	Polyarylphenyl eth	er phosphate				
	90093-37-1	Eye Irrit. 2; H319	<	2.50		wt%
	-					
	-					
	-					
6	1,2-benzisothiazol-					
	2634-33-5	Acute Tox. 4*; H302	>=	0.05 - <	1.00	wt%
	220-120-9	Aquatic Acute 1; H400				
	613-088-00-6	Eye Dam. 1; H318				
	-	Skin Irrit. 2; H315				
		Skin Sens. 1; H317				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
6	-	Skin Sens. 1; H317: C >= 0.05%	-	

Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative	
2	2000 mg/kg bodyweight			

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures necessary. In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Call a doctor immediately and show label or packaging. Do not induce vomiting. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Carbon dioxide; Extinguishing powder; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); carbonyl compounds; Nitrogen oxides (NOx); Hydrogen fluoride (HF)

5.3 Advice for firefighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Wear protective clothing. Cool closed containers exposed to fire with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge uncontrolled into the subsoil/soil.



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding waste disposal, see section 13. Information regarding personal protective measures, see section 8. Information regarding safe handling, see section 7.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not eat, drink or smoke during work time. Remove soiled or soaked clothing immediately. Do not inhale vapours.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Do not store together with foodstuffs.

7.3 Specific end use(s)

Industry solution

Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	No Substance name			CAS / EC no		
	Route of exposure	Exposure time	Effect	Value		
1	Alcohols, C16-18 and C18 unsaturated, ethoxylated				68920-66-1	
				500-236-9		
	dermal	Long term (chronic)	systemic	2080	mg/kg/day	
	inhalative	Long term (chronic)	systemic	294	mg/m³	

DNEL value (consumer)

No	Substance name				
	Route of exposure	Exposure time	Effect	Value	
1	Alcohols, C16-18 and C18 unsaturated, ethoxylated			68920-66-1	
				500-236-9	
	oral	Long term (chronic)	systemic	25	mg/kg/day
	dermal	Long term (chronic)	systemic	1250	mg/kg/day
	inhalative	Long term (chronic)	systemic	87	mg/m³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Туре	Value



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

1	Alcohols, C16-18 and C18 unsaturated	68920-66-1		
			500-236-9	
	water	fresh water	0.007	mg/L
	water	Aqua intermittent	0.1	mg/L
	water	fresh water sediment	22.79	mg/kg dry weight
	water	marine water	0.001	mg/L
	water	marine water sediment	2.28	mg/kg dry weight
	soil	-	1	mg/kg dry weight
	sewage treatment plant	-	10	g/L

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses (EN 166)

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness >= 0.4 mm
Breakthrough time > 480 min

Other

Chemical-resistant work clothes. Rubber boots. (EN 13832-3/EN ISO 20345)

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form/Colour		
liquid, viscous		
white to slightly yellow		
Odour		
aromatic		
pH value		
No data available		
Boiling point / boiling range		
Value	103	°C

Melting point/freezing point						
Value	appr.	-10	-	0	°C	

Decomposition temperature	
No data available	



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

Flash point	
Value	112 °C
Method	Cleveland open cup

Ignition temperature

No data available

Oxidising properties

not oxidizing

Explosive properties

The product does not have explosive properties

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure					
Value		3.54	* 10-5 Pa		
Reference temperature		20	°C		
Comments	Active substance				

Relative vapour density

No data available

Relative density	
Value	1.027
Reference temperature	20 °C
Comments	H2O = 1

Density

No data available

Solubility in water

Comments insoluble

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS	no.	EC no.		
1	Cyflufenamid	1804	09-60-3	-		
log F	Pow		4.7			
Refe	erence temperature		25	°C		
with	reference to	pH 6,75				
Sou	rce	Manufacturer				
2	1,2-benzisothiazol-3(2H)-one	2634	-33-5	220-120-9		
log F	Pow		1.45			
Sou	rce	Manufacturer				

Kinematic viscosity	
Value	3.7 x 10-5 m ² /s
Reference temperature	40 °C
Comments	Though this product contains 18% of solvent naphtha (petroleum),
	heavy arom., the viscosity of this product was more than 2,05× 10-5
	m2/s. Therefore H304 was not applicable.

Particle characteristics
No doto ovolloblo

No data available

9.2 Other information

Dantiala alamantanistiaa

Other information



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Reglaced version: 1.0.0, issued: 25.02.2020 Region: GB

Surface Tension: 33,0 mN/m (pur à 25°C) - 31,9 mN/m (1,0 g s.a./L à 20°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable under normal storage and handling conditions.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Oxidizing agents; strong bases; strong acids

10.6 Hazardous decomposition products

Combustion or thermal decomposition may generate toxic vapours.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity			
No	Product Name			
1	INARI			
LD5	0	>	5000	mg/kg
Spec	cies	rat		
Soul	rce	Manufacturer		

Acu	Acute dermal toxicity			
No	Product Name			
1	INARI			
LD5	0	>	2000	mg/kg
Spe	cies	rat		
Sou	rce	Manufacturer		ļ

Acu	Acute inhalational toxicity				
No	Product Name				
1	INARI				
LC5	0	>	4.41	mg/l	
Dura	ation of exposure		4	h	
State	State of aggregation Dust/mist				
Spec	cies	rat			
Soul	Source Manufacturer				
Com	ments	highest checkable concentrate	tion		

Skin	Skin corrosion/irritation			
No	Product Name			
1	INARI			
Spec	cies	rabbit		
Sour	Source Manufacturer			
Evaluation low-irritant		low-irritant		
Eval	Evaluation/classification Based on available data, the classification criteria are not met.			

Seri	Serious eye damage/irritation		
No	Product Name		
1	INARI		
Spec	cies	rabbit	
Sour	ce	Manufacturer	
Eval	uation	low-irritant	



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Reglaced version: 1.0.0, issued: 25.02.2020 Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.
---------------------------	---

Res	Respiratory or skin sensitisation			
No	Product Name			
1	INARI			
Rou	te of exposure	Skin		
Spe	cies	guinea pig		
Source		Manufacturer		
Evaluation		Non-sensitizing		

Ger	m cell mutagenicity			
No	Substance name	CAS no.	EC no.	
1	Cyflufenamid	180409-60-3	-	
Sou	Source Manufacturer			
Eval	Evaluation/classification Based on available data, the classification criteria are not met.		ification criteria are not met.	

Rep	Reproduction toxicity						
No	Substance name	CAS no.	EC no.				
1	Cyflufenamid	180409-60-3	-				
Sou	rce	Manufacturer					
Eva	uation/classification	Based on available data, the classificatio	n criteria are not met.				

Carcinogenicity						
No	Substance name	CAS no.	EC no.			
1	Cyflufenamid	180409-60-3	-			
Sou	rce	Manufacturer				
Eval	uation/classification	Based on available data, the classificat	ion criteria are not met.			

STOT - single exposure No data available

STOT - repeated exposure	
No data available	

Asniration hazard	
Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Product Name					
1	INARI					
LC5	0		9.84	mg/l		
Duration of exposure			96	h		
Species		Oncorhynchus mykiss				
Soul	rce	Manufacturer				

Toxicity to fish (chronic) No data available

Toxi	Toxicity to Daphnia (acute)						
No	Product Name						
1	INARI						
EC5	0		9.48	mg/l			
Duration of exposure			48	h			
Species		Daphnia					
Sou	rce	Manufacturer					



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

Toxicity to Daphnia (chronic)	
No data available	

Toxi	Toxicity to algae (acute)						
No	Product Name						
1	INARI						
ErC:	50		1.628	mg/l			
Duration of exposure			72	h			
Species		Algae					
Sou	rce	Manufacturer					

Toxi	Toxicity to algae (chronic)						
No	Product Name						
1	INARI						
NOE	EC .		0.395	mg/l			
Species		Algae					
Sour	ce	Manufacturer					

Bacteria toxicity
No data available

12.2 Persistence and degradability

Biod	Biodegradability							
No	Substance name		CAS no.		EC no.			
1	Alcohols, C16-18 and C18 unsaturated, e	thoxylated	68920-66-1		500-236-9			
Valu	e			99	%			
Dura	ation			28	day(s)			
Meth	nod	OECD 301 B						
Soul	rce	ECHA						
2	Cyflufenamid		180409-60-3		-			
Soul	rce	Manufacturer						
Eval	uation	not readily bid	odegradable					
3	1,2-benzisothiazol-3(2H)-one		2634-33-5		220-120-9			
Valu	e	>		90	%			
Meth	nod	OECD 303 A						
Soul	rce	Manufacturer						
Eval	uation	readily biodeg	gradable					

12.3 Bioaccumulative potential

Biod	Bioconcentration factor (BCF)							
No	Substance name	CAS no.	EC no.					
1	Cyflufenamid	180409-60-3	-					
BCF		528						
Spe	cies	fish						
Sou	rce	Manufacturer						
2	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9					
BCF		2						
Sou	rce	Manufacturer						

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name	CAS no.		EC no.			
1	Cyflufenamid	180409-60-	3	•			
log F	Pow		4.7				
Refe	erence temperature		25	°C			
with	reference to	pH 6,75					
Soul	rce	Manufacturer					
2	1,2-benzisothiazol-3(2H)-one	2634-33-5		220-120-9			
log F	Pow		1.45				
Soul	rce	Manufacturer					

12.4 Mobility in soil

Mobility in soil					
No	Substance name	CAS no.	EC no.		



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

1 Cyflufenamid	180409-60-3 -	
log Koc	3 - 3.3	
Source	Manufacturer	

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	No data available.	
vPvB assessment	No data available.	

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product unmonitored into the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 9
Classification code M6
Packing group III
Hazard identification no. 90
UN number UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Technical name Cyflufenamid

Tunnel restriction code - Label 9

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 Transport IMDG

Class 9
Packing group III
UN number UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Technical name Cyflufenamid EmS F-A, S-F Label 9

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class 9
Packing group III
UN number UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Technical name Cyflufenamid

Label 9



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

Environmentally hazardous substance mark

Symbol "fish and tree"

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006

 No
 Substance name
 CAS no.
 EC no.
 No

 1
 1,2-benzisothiazol-3(2H)-one
 2634-33-5
 220-120-9
 75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Regulation (EC) No 1107/2009 concerning the placing of plant protection products on the market

Regulation (EU) No 547/2011 implementing Regulation (EC) No 1107/2009 as regards labelling requirements for plant protection products

Annex III

SP1 Do not contaminate water with the product or its container.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)



Product no.: NI 022 C0058 UK

Current version: 1.0.1, issued: 08.07.2022 Replaced version: 1.0.0, issued: 25.02.2020 Region: GB

EUH066	Repeated exposure may	cause skin dryness or cracking	

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763334