

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : Wuxal Calcium

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 2.1. Relevant identified uses

Main use category : Agriculture.  
Use of the substance/mixture : Fertilizer.

#### 1.2.2. Uses advised against

No additional information available.

### 1.3. Details of the supplier of the safety data sheet

#### Supplier:

AGLUKON Spezialdünger GmbH & Co. KG  
Heerdter Landstraße 199  
40549 Düsseldorf  
Germany

#### Distributor:

CERTIS UK  
Suite 5, 3 Riverside  
Granta Park  
Great Abington  
Cambridgeshire CB21 6AD  
United Kingdom  
Tel: +44 (0)845 373 0305  
Fax: +44 (0)1223 891210  
Email: [certis@certiseurope.co.uk](mailto:certis@certiseurope.co.uk)  
Website: [www.certiseurope.co.uk](http://www.certiseurope.co.uk)

### 1.4. Emergency telephone number

Emergency number : Certis Carechem24 multilingual 24 hours emergency number: +44 (0) 870 190 6777.  
For further advice for medical professionals:  
The National Poisons Information Service: +44 (0) 870 600 6266.  
For further advice for veterinary surgeons: +44 (0) 20 7635 9195  
**Dublin** - National Poisons Information Centre, Beaumont Hospital, Dublin 9:  
Available from 8 am to 10 pm - 7 days: +353 (01) 809 2166  
Available 24hrs: +353 (01) 809 2566

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture


#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302  
Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16.

**2.2. Label elements**
**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP)



GHS05

GHS07

Signal word (CLP)

: Danger

Contains

: Nitric acid, ammonium calcium salt.

Hazard statements (CLP)

: H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

Precautionary statements (CLP)

: P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor.

EUH-statements

: EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

**2.3. Other hazards**

No additional information available

**SECTION 3: Composition/information on ingredients**
**3.1. Substance**

Not applicable.

**3.2. Mixture**

Name	Product identifier	% (w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitric acid, ammonium calcium salt	(CAS No) 15245-12-2 (EC no) 239-289-5 (REACH-no) 01-2119493947-16-XXXX	45 < 60	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Ammonium nitrate	(CAS No) 6484-52-2 (EC no) 229-347-8 (REACH-no) 01-2119490981-27-XXXX	1 < 2	Ox. Sol. 3, H272 Eye Irrit. 2, H319
Boric acid substance listed as REACH Candidate	(CAS No) 10043-35-3 (EC no) 233-139-2 (EC index no) 005-007-00-2 (REACH-no) 01-2119486683-25	0,1 < 0,5	Repr. 1A, H360FD

Full text of H-statements: see section 16

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**

First-aid measures general

: In the event of any complaints or symptoms, avoid further exposure.

First-aid measures after inhalation	: IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist call a doctor.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Remove contaminated clothing and shoes. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for at least 15 minutes, also under eyelides. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion	: IF SWALLOWED: Immediately call a POISON CENTER or doctor. Never give anything by mouth to an unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray  
Dry chemical powder  
Alcohol resistant foam  
Carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media : Water spray jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustion or thermal decomposition may generate toxic vapours: Nitrogen oxides, Ammonia.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.  
Fight fire from safe distance and protected location.  
Do not breathe fumes  
Cool closed containers exposed to fire with water spray  
If possible, take the containers out of dangerous zone.  
Contain fire-fighting water with dikes or absorbents to prevent migration and entry into sewers, streams or groundwater.

Protection during firefighting : Wear suitable protective clothing, gloves, eye/face protection and respiratory protection  
Wear a self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Protective equipment : Wear suitable protective clothing, gloves and eye/ face protection.

Emergency procedures : Evacuate area.

Ensure adequate ventilation.

Avoid direct contact with the substance.

Contain any spills with dikes or absorbents to prevent migration and entry into sewers, streams or groundwater.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

Notify the authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

Once absorbed collect spilled material with shovels, buckets and place in closed containers and label properly.

Remove as chemical waste, according to national or local legislation.

In the event of major spillage: contact an expert.

### 6.4. Reference to other sections

See sections 7-8-13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Read label before use.

Avoid contact with eyes, skin, nose and mouth.

Wear suitable protective clothing, gloves and eye/face protection.

Opened containers must be carefully closed and kept upright to avoid leakage.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide adequate ventilation.

Storage conditions : Prevent unauthorised access.

Keep locked up and out of the reach of children.

Keep in original containers, tightly closed.

Keep away from food, drink and animal feedingstuffs.

Protect against frost.

Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

Fertilizer for agricultural use. Refer to the label.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limit values

Boric acid (10043-35-3)	
VLEP/GWBB, TWA	2 mg/m <sup>3</sup>
VLEP/GWBB, STEL	6 mg/m <sup>3</sup>

TWA: long-term occupational exposure limit value.

STEL: short-term occupational exposure limit value.

Ceiling: peak limitation.

**DNEL**

<b>Nitric acid, ammonium calcium salt (15245-12-2)</b>	
DNEL long-term dermal (systemic), Workers	13,9 mg/kg bw/day
DNEL long-term inhalative (systemic), Workers	24,5 mg/m <sup>3</sup>

<b>Ammonium nitrate (6484-52-2)</b>	
DNEL long-term dermal (systemic), Workers	21,3 mg/kg
DNEL long-term inhalative (systemic), Workers	37,6 mg/m <sup>3</sup>

<b>Boric acid (10043-35-3)</b>	
DNEL long-term dermal (systemic), Workers	392 mg/kg bw/day
DNEL long-term inhalative (systemic), Workers	8,28 mg/m <sup>3</sup>
DNEL short-term oral (acute), Consumer	0,98 mg/kg bw/day
DNEL long-term oral (repeated), Consumer	0,98 mg/kg
DNEL long-term dermal (systemic), Consumer	196 mg/kg bw/day
DNEL long-term inhalative (systemic), Consumer	4,15 mg/m <sup>3</sup>

**PNEC**

<b>Nitric acid, ammonium calcium salt (15245-12-2)</b>	
PNEC aquatic, freshwater	0,45 mg/L
PNEC aquatic, marine water	0,045 mg/L
PNEC aquatic, intermittent release	4,5 mg/L

<b>Ammonium nitrate (6484-52-2)</b>	
PNEC aquatic, freshwater	0,45 mg/L
PNEC aquatic, marine water	0,045 mg/L
PNEC aquatic, intermittent release	4,5 mg/L
PNEC sewage treatment plant (STP)	18 mg/L

<b>Boric acid (10043-35-3)</b>	
PNEC aquatic, freshwater	2,02 mg B/L
PNEC aquatic, marine water	2,02 mg B/L
PNEC, Soil	5,4 mg B/kg
PNEC sewage treatment plant (STP)	10 mg B/L

**8.2. Exposure controls**

Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Wear impervious gloves resistant to chemical. Nitrile rubber.
Eye protection	: Safety goggles or a face shield.
Skin and body protection	: Protective clothing with long sleeves waterproof and resistant to chemicals. Rubber boots.
Respiratory protection	: Wear appropriate respirator for dust / organic vapors.

Hygiene measures	<ul style="list-style-type: none"> <li>: Remove and wash contaminated clothing before re-use.</li> <li>Do not eat, drink or smoke while handling the product.</li> <li>Clean gloves with soap and water before removing.</li> <li>Wash hands and face with soap and water before eating, drinking smoking and immediately after handling product.</li> <li>Clean equipment, premises and work clothes regularly.</li> <li>Work clothing should remain on the work area and stored separately from street clothes.</li> </ul>
Environmental exposure controls	<ul style="list-style-type: none"> <li>: Discharge into the environment must be avoided.</li> <li>Do not contaminate surface and groundwater.</li> </ul>

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Dark green.
Odour	: Characteristic.
pH	: 5
Flash point	: Not applicable
Density	: 1.64 g/cm <sup>3</sup>
Solubility	: Water solubility: very soluble
Explosive limits	: Not applicable

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is stable at normal handling and storage conditions.

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

Is not explosive and does not exhibit oxidant properties.

#### 10.4. Conditions to avoid

Protect from heat and direct sunlight.

#### 10.5. Incompatible materials

Alkali (lye)

#### 10.6. Hazardous decomposition products

Combustion or thermal decomposition may generate toxic vapours: Nitrogen oxides, Ammonia.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

Wuxal Calcium	
LD50 oral rat	879 mg/kg

Nitric acid, ammonium calcium salt (15245-12-2)	
LD50 oral rat	>300 mg/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
	<b>Boric acid (10043-35-3)</b> , Reproductive toxicity, Category 1A
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This mixture contains no substance considered to be very persistent and very bioaccumulative (vPvB).

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

##### 14.6.1. Overland transport

No additional information available

### 14.6.2. Transport by sea

No additional information available

### 14.6.3. Air transport

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Repr. 1A	Reproductive toxicity, Category 1A
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H360FD	May damage fertility. May damage the unborn child
EUH401	To avoid risks to human health and the environment, comply with the instructions for use