

Zinzan®

A0600

A liquid concentrate formulation containing 70% 1,2 bis (2 –ethylhexyloxycarbonyl) ethanesulphonate, surfactants and formulation improvers for use as a wetter, spreader and extender

1 Litre

Batch No.:

THE (COSHH) CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS MAY APPLY TO THE USE OF THIS PRODUCT AT WORK

SAFETY PRECAUTIONS

Operator protection

WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION when handling the concentrate.

WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION during application.

WASH HANDS before meals and after work.

Follow all operator protection instructions for the pesticide. Where the personal protective equipment specified on the adjuvant label is different to that specified on the pesticide label, the highest level of protective equipment must be worn.

Storage and disposal

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place.

WASH OUT CONTAINER THOROUGHLY and dispose of safely.

Risk and Safety Information

ZINZAN



DANGER

CAUSES SKIN IRRITATION

CAUSES SERIOUS EYE DAMAGE

Wear protective gloves/protective clothing/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water

Dispose of contents/container to a suitable disposal site in accordance with local and national regulations.

To avoid risks to human health and the environment, comply with the instructions for use.

A0600

DIRECTIONS FOR USE:

Refer to leaflet attached to this bottle.

| Crops/Situations | Pesticides | Maximum concentration | Maximum number of treatments | Latest time of application |
|-------------------------|---|------------------------------|---|--|
| All Non Edible Crops | All approved pesticides | 0.075 % spray solution | Follow the statutory conditions of use of the pesticide | Follow the statutory conditions of use of the pesticide |
| All Edible Crops | All approved pesticides at half or less than half the approved pesticide rate | 0.075 % spray solution | Follow the statutory conditions of use of the pesticide | Follow the statutory conditions of use of the pesticide |
| Potato | Valbon (MAPP 14868) | 0.075 % spray solution | Follow the statutory conditions of use of the pesticide | 7 days before harvest. Follow the statutory conditions of use of the pesticide |

In addition, this adjuvant may be used at a maximum concentration of 0.075 % spray solution on the following crops, up to the growth stages specified, with all approved pesticides applied up to their full approved rate.

| | |
|--|---|
| Apple and pear | Up to and including fruit 5-10mm |
| Cherry and plum | Up to and including first fruit set |
| Almond, apricot and peach | Up to and including first fruit set |
| Table Grapes and Wine Grapes | Up to and including first fruit set |
| Strawberry | Up to and including first fruit development |
| Raspberry | Up to and including first fruit set |
| Blackcurrant | Up to and including first visible green fruitlet |
| Cucumber | Up to and including first fruit set |
| Tomato | Up to and including first fruit set on first truss |
| Broad bean, dwarf French bean, field bean, runner bean | Up to and including first pod set |
| Combining pea and vining pea | Up to and including flat pod (non-edible pods only) |
| Edible podded pea | Up to and including pod set |
| Oilseed rape | Up to and including 10 % potential pods |
| Linseed | Up to and including 10 % capsules formed |
| Sugar beet | Up to and including 6 fully expanded leaves |
| Hops | Up to and including cone set |
| Cereals | Up to and including GS52 (1/4 inflorescence) |
| Forage Maize | Up to and including tip of tassel visible |
| Brussels sprout | Up to and including lateral buds begin to develop |
| Potato | Up to and including tuber initiation |
| Cauliflower | Up to and including cauliflower heads begin to form; width of growth tip up to 1 cm ² |
| Lettuce | Varieties forming heads: up to and including heads begin to form |
| Lettuce | Varieties not forming heads: up to and including leaf rosette has reached 30% of the diameter typical for the variety |

Marketed by:



Certis, Suite 5, 3 Riverside, Granta Park, Great Abington, Cambridgeshire, CB21 6AD

Tel: 0044 (0)845 373 0305

Fax: 0044 (0)1223 891210

E-mail: certis@certiseurope.co.uk

For technical and non-emergency calls - phone 0044 (0)1223 894261

For advice on medical emergencies, fires, spillages or chemical hazards ONLY – phone 0870 190 6777

® Zinzan is a registered trademark of Certis Europe BV

CONDITIONS OF SUPPLY: The Seller warrants that the goods shall at the time of delivery to the Buyer conform to the Seller's standard specification but all other conditions and warranties, whether express or implied by statute or custom of the trade or otherwise and whether as to condition, quality, performance, merchantability, fitness for any purpose or otherwise, are expressly excluded and, subject as aforesaid, the Seller shall be under no liability whatsoever, in contract or in tort, for or in respect of any loss or damage whatsoever resulting from or arising out of the goods or supply or use thereof, whether caused by the negligence of the Seller or otherwise. The Seller shall be under no liability in respect of the warranty given above unless the Buyer allows the Seller reasonable opportunity of inspecting the goods where practicable. A consumers statutory rights are not affected.